

# Certificate of Analysis

4581



Client: True Northwest  
 Address: 4139 Libby Rd NE  
 Olympia, WA 98506  
 License: info@tnwlab.com

Lab ID: P201201-4 001  
 Date Received: 12/1/2020  
 Analysis Completed: 12/2/2020

Original Global ID: n/a  
 Lab Global ID: n/a  
 Sample Type: Flower

## Chemical Residue Screening

Compound Name	CAS Number	Result (ppm)	WA Action Level	Pass/Fail	Compound Name	CAS Number	Result (ppm)	WA Action Level	Pass/Fail
Abamectin	71751-41-2	nd	0.50	Pass	Imazalil	35554-44-0	nd	0.20	Pass
Acephate	30560-19-1	nd	0.40	Pass	Imidacloprid	138261-41-3	nd	0.40	Pass
Acequinocyl	57960-19-7	nd	2.00	Pass	Kresoxim-methyl	143390-89-0	nd	0.40	Pass
Acetamiprid	135410-20-7	nd	0.20	Pass	Malathion	121-75-5	nd	0.20	Pass
Aldicarb	116-06-3	nd	0.40	Pass	Metalaxyl	57837-19-1	nd	0.20	Pass
Azoxystrobin	131860-33-8	nd	0.20	Pass	Methiocarb	2032-65-7	nd	0.20	Pass
Bifenazate	149877-41-8	nd	0.20	Pass	Methomyl	16752-77-5	nd	0.40	Pass
Bifenthrin	82657-04-3	nd	0.20	Pass	Methyl parathion	298-00-0	nd	0.20	Pass
Boscalid	188425-85-6	nd	0.40	Pass	MGK-264	113-48-4	nd	0.20	Pass
Carbaryl	63-25-2	nd	0.20	Pass	Myclobutanil	88671-89-0	nd	0.20	Pass
Carbofuran	1563-66-2	nd	0.20	Pass	Naled	300-76-5	nd	0.50	Pass
Chlorantraniliprole	500008-45-7	nd	0.20	Pass	Oxamyl	23135-22-0	nd	1.00	Pass
Chlorfenapyr	122453-73-0	nd	1.00	Pass	Paclobutrazol	76738-62-0	nd	0.40	Pass
Chlorpyrifos	2921-88-2	nd	0.20	Pass	Permethrins <sup>2</sup>	52645-53-1	nd	0.20	Pass
Clofentezine	74115-24-5	nd	0.20	Pass	Phosmet	732-11-6	nd	0.20	Pass
Cyfluthrin	68359-37-5	nd	1.00	Pass	Piperonyl butoxide <sup>1</sup>	51-03-6	nd	2.00	Pass
Cypermethrin	52315-07-8	nd	1.00	Pass	Prallethrin	23031-36-9	nd	0.20	Pass
Daminozide	1596-84-5	nd	1.00	Pass	Propiconazole	60207-90-1	nd	0.40	Pass
DDVP (Dichlorvos)	333-41-5	nd	0.10	Pass	Propoxur	114-26-1	nd	0.20	Pass
Diazinon	62-73-7	nd	0.20	Pass	Pyrethrins <sup>1,3</sup>	8003-34-7	nd	1.00	Pass
Dimethoate	60-51-5	nd	0.20	Pass	Pyridaben	96489-71-3	nd	0.20	Pass
Ethoprophos	13194-48-4	nd	0.20	Pass	Spinosad	168316-95-8	nd	0.20	Pass
Etofenprox	80844-07-1	nd	0.40	Pass	Spiromesifen	283594-90-1	nd	0.20	Pass
Etoxazole	153233-91-1	nd	0.20	Pass	Spirotetramat	203313-25-1	nd	0.20	Pass
Fenoxycarb	72490-01-8	nd	0.20	Pass	Spiroxamine	118134-30-8	nd	0.40	Pass
Fenpyroximate	134098-61-6	nd	0.40	Pass	Tebuconazole	80443-41-0	nd	0.40	Pass
Fipronil	120068-37-3	nd	0.40	Pass	Thiacloprid	111988-49-9	nd	0.20	Pass
Flonicamid	158062-67-0	nd	1.00	Pass	Thiamethoxam	153719-23-4	nd	0.20	Pass
Fludioxonil	131341-86-1	nd	0.40	Pass	Trifloxystrobin	141517-21-7	nd	0.20	Pass
Hexythiazox	78587-05-0	nd	1.00	Pass					

Method: LC-MS/MS

Notes: <sup>1</sup> Washington State action levels apply to cannabis concentrates, cannabis extracts, intermediate products, and imported cannabinoids.

<sup>2</sup> Permethrins are measured as cumulative residue of cis- and trans-permethrin isomers (CAS numbers 54774-45-7 and 51877-74-8 respectively).

<sup>3</sup> Pyrethrins are measured as the cumulative residues of pyrethrin 1, cinerin 1, and jasmolin 1 (CAS numbers 121-21-1, 25402-06-6, and 4466-1-2 respectively).

"LLOD" = Lower Limit of Detection, the lowest amount that the method can detect.

"LLOQ" = Lower Limit of Quantification, the lowest amount that the method can quantify.

"A" = Estimated amount, greater than the LLOD, but less than the LLOQ.

"\*\*" = Estimated amount, greater than the Upper Limit of Quantification (ULOQ).

"nd" = Not detected or beneath the LLOD, the lowest amount that can be detected.



This report was reviewed by:

Faith Rasmussen, Laboratory Analyst on December 2nd, 2020

This report was approved by:

Elizabeth Doar, Project Manager on December 3rd, 2020

Not all testing listed above is included in our A2LA Scope of Accreditation. Please consult A2LA Certificates #4803.01 and #4803.02 for a list of accredited tests.

Testing results are certified by scientific examination of a single sample, as identified by the Sample ID, provided by the Producer/Processor. The sample, as received, was homogenized before subsamples were drawn for specific analysis. Praxis Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. The results pertain only to the sample tested and no other sample.